

111

Insulin-like Growth Factor 1 Regulates the Expression of ATP-Binding Cassette Transporter A1 in Pancreatic Beta Cells.

Lyu J, Imachi H, Iwama H, Zhang H, Murao K.
Horm Metab Res. 2016 Jan 7. [Epub ahead of print]

110

Immunoreactive insulin in diabetes mellitus patient sera detected by ultrasensitive ELISA with thio-NAD cycling.

Ito E, Kaneda M, Kodama H, Morikawa M, Tai M, Aoki K, Watabe S, Nakaishi K, Hashida S, Tada S, Kuroda N, Imachi H, Murao K, Yamashita M, Yoshimura T, Miura T.
Biotechniques. 2015 Dec 1;59(6):359-67.

109

Roles of lipoprotein receptors in the entry of hepatitis C virus.

Lyu J, Imachi H, Fukunaga K, Yoshimoto T, Zhang H, Murao K.
World J Hepatol. 2015 Oct 28;7(24):2535-42.

108

Oxidative stress and substance P mediate psychological stress-induced autophagy and delay of hair growth in mice.

Wang L, Guo LL, Wang LH, Zhang GX, Shang J, Murao K, Chen DF, Fan XH, Fu WQ.
Arch Dermatol Res. 2015 Mar;307(2):171-81.

107

Contribution of the renin-angiotensin system in chronic foot-shock induced hypertension in rats.

Wang LH, Dong T, Liu BB, Zhao XD, Chen JW, Murao K, Zhu W, Zhang GX.
Life Sci. 2015 Jan 15;121:135-44.

106

Mitochondrial KATP channel involvement in angiotensin II-induced autophagy in vascular smooth muscle cells.

Yu KY, Wang YP, Wang LH, Jian Y, Zhao XD, Chen JW, Murao K, Zhu W, Dong L, Wang GQ, Zhang GX.
Basic Res Cardiol. 2014 Jul;109(4):416.

105

Decreased expression of platelet human scavenger receptor class B type I in patients with type 2 diabetes mellitus.

Imachi H, Fukata Y, Murao K.
J Diabetes Investig. 2014 May 4;5(3):345-6.

104

Effect of the anti-diabetic drug metformin in hepatocellular carcinoma in vitro and in vivo.

Miyoshi H, Kato K, Iwama H, Maeda E, Sakamoto T, Fujita K, Toyota Y, Tani J, Nomura T, Mimura S, Kobayashi M, Morishita A, Kobara H, Mori H, Yoneyama H, Deguchi A, Himoto T, Kurokohchi K, Okano K, Suzuki Y, Murao K, Masaki T.
Int J Oncol. 2014 Jul;45(1):322-32.

103

17 β -Estradiol regulates scavenger receptor class BI gene expression via protein kinase C in vascular endothelial cells.

Fukata Y, Yu X, Imachi H, Nishiuchi T, Lyu J, Seo K, Takeuchi A, Iwama H, Masugata H, Hoshikawa H, Hosomi N, Iwasaki Y, Murao K.

Endocrine. 2014 Aug;46(3):644-50.

102

Metformin suppresses expression of the selenoprotein P gene via an AMP-activated kinase (AMPK)/FoxO3a pathway in H4IIEC3 hepatocytes.

Takayama H, Misu H, Iwama H, Chikamoto K, Saito Y, Murao K, Teraguchi A, Lan F, Kikuchi A, Saito R, Tajima N, Shirasaki T, Matsugo S, Miyamoto K, Kaneko S, Takamura T.

J Biol Chem. 2014 Jan 3;289(1):335-45.

101

Association between left ventricular hypertrophy and changes in arterial stiffness during hypertensive treatment.

Masugata H, Senda S, Inukai M, Himoto T, Hosomi N, Murao K, Okada H, Goda F.

Clin Exp Hypertens. 2014;36(4):258-62.

100

Apoptosis and autophagy contribute to gender difference in cardiac ischemia-reperfusion induced injury in rats.

Chen C, Hu LX, Dong T, Wang GQ, Wang LH, Zhou XP, Jiang Y, Murao K, Lu SQ, Chen JW, Zhang GX.

Life Sci. 2013 Aug 28;93(7):265-70.

99

Chronic restraint stress inhibits hair growth via substance P mediated by reactive oxygen species in mice.

Liu N, Wang LH, Guo LL, Wang GQ, Zhou XP, Jiang Y, Shang J, Murao K, Chen JW, Fu WQ, Zhang GX.

PLoS One. 2013 Apr 26;8(4):e61574.

98

Relationship between arterial stiffness and variability in systolic blood pressure during a single clinic visit in patients with hypertension.

Masugata H, Senda S, Inukai M, Himoto T, Hosomi N, Imachi H, Murao K, Okada H, Goda F.

J Int Med Res. 2013 Apr;41(2):325-33.

97

[HDL metabolism in lifestyle-related illnesses].

Imachi H, Murao K.

Rinsho Byori. 2012 Nov;60(11):1081-6.

96

Antitumor effect of metformin in esophageal cancer: in vitro study.

Kobayashi M, Kato K, Iwama H, Fujihara S, Nishiyama N, Mimura S, Toyota Y, Nomura T, Nomura K, Tani J, Miyoshi H, Kobara H, Mori H, Murao K, Masaki T.

Int J Oncol. 2013 Feb;42(2):517-24.

95

Association of serum anti-periodontal pathogen antibody with ischemic stroke.

Hosomi N, Aoki S, Matsuo K, Deguchi K, Masugata H, Murao K, Ichihara N, Ohshima H, Dobashi H, Nezu T, Ohtsuki T, Yasuda O, Soejima H, Ogawa H, Izumi Y, Kohno M, Tanaka J, Matsumoto M. *Cerebrovasc Dis.* 2012;34(5-6):385-92.

94

Human microRNAs originated from two periods at accelerated rates in mammalian evolution.

Iwama H, Kato K, Imachi H, Murao K, Masaki T.

Mol Biol Evol. 2013 Mar;30(3):613-26.

93

Association between Oxidative Stress Assessed by Urinary 8-Hydroxydeoxyguanosine and the Cardiac Function in Hypertensive Patients without Overt Heart Disease.

Masugata H, Senda S, Inukai M, Himoto T, Imachi H, Murao K, Hosomi N, Okada H, Goda F.

Clin Exp Hypertens. 2012 Sep 6. [Epub ahead of print]

92

[Insulin, glucagon, insulin autoantibody (IAA), insulin receptor antibody].

Imachi H, Murao K.

Nihon Rinsho. 2012 May;70 Suppl 3:442-5.

91

Association between urinary 8-hydroxydeoxyguanosine, an indicator of oxidative stress, and the cardio-ankle vascular index in hypertensive patients.

Masugata H, Senda S, Murao K, Inukai M, Himoto T, Hosomi N, Okada H, Goda F.

J Atheroscler Thromb. 2012;19(8):747-55.

90

Xanthogranuloma of the intrasellar region presenting in pituitary dysfunction: a case report.

Nishiuchi T, Murao K, Imachi H, Kushida Y, Haba R, Kawai N, Tamiya T, Ishida T.

J Med Case Rep. 2012 Apr 29;6(1):119.

89

Association between cardiac function and pulmonary function in hypertensive patients.

Masugata H, Senda S, Okada H, Murao K, Inukai M, Himoto T, Hosomi N, Murakami K, Noma T, Kohno M, Goda F.

J Int Med Res. 2012;40(1):105-14.

88

Liver X receptor α is involved in the transcriptional regulation of the 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase gene.

Zhao LF, Iwasaki Y, Nishiyama M, Taguchi T, Tsugita M, Okazaki M, Nakayama S, Kambayashi M, Fujimoto S, Hashimoto K, Murao K, Terada Y.

Diabetes. 2012 May;61(5):1062-71. doi: 10.2337/db11-1255.

87

The optimal timing of antihypertensive medication administration for morning hypertension in patients with cerebral infarction.

Hosomi N, Sueda Y, Masugata H, Dobashi H, Murao K, Ueno M, Miki T, Kohno M, Nishiyama A, Matsumoto M.

Hypertens Res. 2012 Jul;35(7):720-4.

86

Raloxifene inhibits menin-dependent estrogen receptor activation in breast cancer cells.

Imachi H, Yu X, Nishiuchi T, Miyai Y, Masugata H, Murao K.

J Endocrinol Invest. 2011 Dec;34(11):813-5.

85

The antidiabetic drug metformin inhibits gastric cancer cell proliferation in vitro and in vivo.

Kato K, Gong J, Iwama H, Kitanaka A, Tani J, Miyoshi H, Nomura K, Mimura S, Kobayashi M, Aritomo Y, Kobara H, Mori H, Himoto T, Okano K, Suzuki Y, Murao K, Masaki T.

Mol Cancer Ther. 2012 Mar;11(3):549-60.

84

Novel mutations in the gene encoding acid α -1,4-glucosidase in a patient with late-onset glycogen storage disease type II (Pompe disease) with impaired intelligence.

Muraoka T, Murao K, Imachi H, Kikuchi F, Yoshimoto T, Iwama H, Hosokawa H, Nishino I, Fukuda T, Sugie H, Adachi K, Nanba E, Ishida T.

Intern Med. 2011;50(24):2987-91.

83

Association between arterial stiffness and pulmonary function in hypertensive patients.

Masugata H, Senda S, Okada H, Murao K, Inukai M, Himoto T, Hosomi N, Murakami K, Noma T, Kohno M, Goda F.

Hypertens Res. 2012 Apr;35(4):388-92. doi: 10.1038/hr.2011.199.

82

Association of cardio-ankle vascular index with brain natriuretic peptide levels in hypertension.

Masugata H, Senda S, Inukai M, Murao K, Himoto T, Hosomi N, Murakami K, Noma T, Kohno M, Okada H, Goda F.

J Atheroscler Thromb. 2012;19(3):255-62.

81

Reduced bone mineral density in hypertensive patients is associated with left ventricular diastolic dysfunction, not left ventricular hypertrophy.

Masugata H, Senda S, Murao K, Inukai M, Hosomi N, Iwado Y, Noma T, Kohno M, Miyatake N, Himoto T, Goda F.

Clin Exp Hypertens. 2012;34(3):176-81.

80

Correlation of arterial stiffness to left ventricular function in patients with reduced ejection fraction.

Noguchi S, Masugata H, Senda S, Ishikawa K, Nakaishi H, Tada A, Inage T, Kajikawa T, Inukai M, Himoto T, Hosomi N, Murakami K, Noma T, Kohno M, Okada H, Goda F, Murao K.

Tohoku J Exp Med. 2011;225(3):145-51.

79

Differences in left ventricular diastolic dysfunction between eccentric and concentric left ventricular hypertrophy in hypertensive patients with preserved systolic function.

Masugata H, Senda S, Inukai M, Murao K, Hosomi N, Iwado Y, Noma T, Kohno M, Himoto T, Goda F.

J Int Med Res. 2011;39(3):772-9.

78

Aortic root dilatation as a marker of subclinical left ventricular diastolic dysfunction in patients with cardiovascular risk factors.

Masugata H, Senda S, Murao K, Okuyama H, Inukai M, Hosomi N, Iwado Y, Noma T, Kohno M, Himoto T, Goda F.

J Int Med Res. 2011;39(1):64-70.

77

Seasonal variation in estimated glomerular filtration rate based on serum creatinine levels in hypertensive patients.

Masugata H, Senda S, Inukai M, Himoto T, Murao K, Hosomi N, Iwado Y, Noma T, Kohno M, Goda F.

Tohoku J Exp Med. 2011;224(2):137-42.

76

Hemolysis, elevated liver enzymes, and low platelet count (HELLP) syndrome with pituitary apoplexy.

Murao K, Imachi H, Muraoka T, Ishida T.

Fertil Steril. 2011 Jul;96(1):260-1.

75

Transcriptional double-autorepression feedforward circuits act for multicellularity and nervous system development.

Iwama H, Murao K, Imachi H, Ishida T.

BMC Genomics. 2011 May 11;12:228.

74

Visit-to-visit variability in blood pressure over a 1-year period is a marker of left ventricular diastolic dysfunction in treated hypertensive patients.

Masugata H, Senda S, Murao K, Inukai M, Hosomi N, Iwado Y, Noma T, Kohno M, Himoto T, Goda F.

Hypertens Res. 2011 Jul;34(7):846-50.

73

Exendin-4 regulates the expression of the ATP-binding cassette transporter A1 via transcriptional factor PREB in the pancreatic β cell line.

Miyai Y, Murao K, Imachi H, Li J, Nishiuchi Y, Masugata H, Iwama H, Kushida Y, Ishida T, Haba R.

J Endocrinol Invest. 2011 Oct;34(9):e268-74.

72

Association between echocardiographic parameters and brain natriuretic peptide levels in treated hypertensive patients.

Masugata H, Senda S, Murao K, Okuyama H, Inukai M, Hosomi N, Iwado Y, Noma T, Kohno M, Goda F.

Clin Exp Hypertens. 2011;33(3):187-91.

71

Association between high-sensitivity C-reactive protein and left ventricular diastolic function assessed by echocardiography in patients with cardiovascular risk factors.

Masugata H, Senda S, Inukai M, Murao K, Tada S, Hosomi N, Iwado Y, Noma T, Kohno M, Himoto T, Goda F.

Tohoku J Exp Med. 2011;223(4):263-8.

70

Angiotensin II induces human astrocyte senescence through reactive oxygen species production.

Liu G, Hosomi N, Hitomi H, Pelisch N, Fu H, Masugata H, Murao K, Ueno M, Matsumoto M, Nishiyama A.

Hypertens Res. 2011 Apr;34(4):479-83.

69

Association between bone mineral density and arterial stiffness in hypertensive patients.

Masugata H, Senda S, Inukai M, Murao K, Hosomi N, Iwado Y, Noma T, Kohno M, Miyatake N, Himoto T, Goda F.

Tohoku J Exp Med. 2011;223(2):85-90.

68

Rare sugar D-psicose improves insulin sensitivity and glucose tolerance in type 2 diabetes Otsuka

Long-Evans Tokushima Fatty (OLETF) rats.

Hossain MA, Kitagaki S, Nakano D, Nishiyama A, Funamoto Y, Matsunaga T, Tsukamoto I, Yamaguchi F, Kamitori K, Dong Y, Hirata Y, Murao K, Toyoda Y, Tokuda M.

Biochem Biophys Res Commun. 2011 Feb 4;405(1):7-12.

67

Resveratrol represses YKL-40 expression in human glioma U87 cells.

Zhang W, Murao K, Zhang X, Matsumoto K, Diah S, Okada M, Miyake K, Kawai N, Fei Z, Tamiya T.

BMC Cancer. 2010 Oct 28;10:593.

66

Idiopathic unilateral adrenal hemorrhage in an elderly patient.

Imachi H, Murao K, Yoshimoto T, Sugimoto M, Kakehi Y, Hayashi T, Kushida Y, Haba R, Tahara R, Ishida T.

Endocrine. 2010 Apr;37(2):249-52.

65

The transcription factor prolactin regulatory element-binding protein mediates prolactin transcription induced by thyrotropin-releasing hormone in GH3 cells.

Yu X, Murao K, Imachi H, Li J, Nishiuchi T, Dobashi H, Hosomi N, Masugata H, Zhang GX, Iwama H, Ishida T.

Endocrine. 2010 Aug;38(1):53-9.

64

Age-related decrease in inferior vena cava diameter measured with echocardiography.

Masugata H, Senda S, Okuyama H, Murao K, Inukai M, Hosomi N, Iwado Y, Noma T, Kohno M, Himoto T, Goda F.

Tohoku J Exp Med. 2010 Oct;222(2):141-7.

63

Misdiagnosis of two cases of primary aldosteronism owing to failure of computed tomography to detect adrenal microadenoma.

Fujiwara M, Murao K, Imachi H, Yoshida K, Muraoka T, Ohyama T, Kushida Y, Haba R, Kakehi Y, Ishida T.

Am J Med Sci. 2010 Oct;340(4):335-7.

62

Cardio-ankle vascular index for evaluating immunosuppressive therapy in a patient with aortitis syndrome.

Masugata H, Senda S, Dobashi H, Himoto T, Murao K, Okuyama H, Inukai M, Hosomi N, Kohno M, Nishiyama Y, Kohno T, Goda F.

Tohoku J Exp Med. 2010 Sep;222(1):77-81.

61

Emphysematous cystitis with diabetic neurogenic bladder.

Yoshida K, Murao K, Fukuda N, Tamura Y, Ishida T.

Intern Med. 2010;49(17):1879-83.

60

MicroRNA networks alter to conform to transcription factor networks adding redundancy and reducing the repertoire of target genes for coordinated regulation.

Iwama H, Murao K, Imachi H, Ishida T.

Mol Biol Evol. 2011 Jan;28(1):639-46.

59

Positron emission tomography with 18F-fluorodeoxyglucose is a useful tool for the diagnosis of pheochromocytomas without distant metastasis, where malignancy is suspected on the basis of histopathologic analysis.

Kikuchi F, Imachi H, Murao K, Ohyama T, Miyai Y, Kushida Y, Haba R, Kakehi Y, Ishida T.

Am J Med Sci. 2010 Aug;340(2):160-3.

58

Transcriptional factor prolactin regulatory element-binding protein-mediated gene transcription of ABCA1 via 3',5'-cyclic adenosine-5'-monophosphate.

Nishiuchi Y, Murao K, Imachi H, Nishiuchi T, Iwama H, Ishida T.

Atherosclerosis. 2010 Oct;212(2):418-25.

57

Exendin-4 regulates GLUT2 expression via the CaMKK/CaMKIV pathway in a pancreatic β -cell line.

Chen K, Yu X, Murao K, Imachi H, Li J, Muraoka T, Masugata H, Zhang GX, Kobayashi R, Ishida T, Tokumitsu H.

Metabolism. 2011 Apr;60(4):579-85.

56

Effects of angiotensin type I receptor blockade on the cardiac Raf/MEK/ERK cascade activated via adrenergic receptors.

Zhang GX, Kimura S, Murao K, Yu X, Obata K, Matsuyoshi H, Takaki M.

J Pharmacol Sci. 2010;113(3):224-33.

55

Aortic annular velocity assessed by tissue Doppler echocardiography as a potential parameter of arterial stiffness.

Masugata H, Senda S, Okuyama H, Murao K, Hosomi N, Inukai M, Iwado Y, Noma T, Kohno M, Goda F.

Tohoku J Exp Med. 2010 Jun;221(2):169-74.

54

Association between YKL-40 and adult primary astrocytoma.

Zhang W, Kawanishi M, Miyake K, Kagawa M, Kawai N, Murao K, Nishiyama A, Fei Z, Zhang X, Tamiya T.

Cancer. 2010 Jun 1;116(11):2688-97.

53

Calcium/calmodulin-dependent protein kinase IV involvement in the pathophysiology of glucotoxicity in rat pancreatic β -cells.

Sugiyama Y, Murao K, Imachi H, Sueyoshi N, Ishida T, Kameshita I.

Metabolism. 2011 Jan;60(1):145-53.

52

Suppression of prolactin expression by cabergoline requires prolactin regulatory element-binding protein (PREB) in GH3 cells.

Zhang W, Murao K, Imachi H, Iwama H, Chen K, Fei Z, Zhang X, Ishida T, Tamiya T.

Horm Metab Res. 2010 Jul;42(8):557-61.

51

Elevated brachial-ankle pulse wave velocity is associated with left ventricular hypertrophy in hypertensive patients after stroke.

Masugata H, Senda S, Hoshikawa J, Murao K, Hosomi N, Okuyama H, Inukai M, Himoto T, Nakatsuka Y, Imai M, Noma T, Kohno M, Goda F.

Tohoku J Exp Med. 2010 Mar;220(3):177-82.

50

Scavenger receptor class BI mediates the anti-apoptotic effect of erythropoietin.

Nishiuchi T, Murao K, Imachi H, Yu X, Dobashi H, Haba R, Ishida T.

Ann Med. 2010 Mar;42(2):151-60.

49

Hyperglycemia suppresses ABCA1 expression in vascular smooth muscle cells.

Yu X, Murao K, Imachi H, Li J, Nishiuchi T, Hosomi N, Masugata H, Zhang GX, Iwama H, Ishida T.

Horm Metab Res. 2010 Apr;42(4):241-6.

48

Suprasellar germinoma masquerading as lymphocytic hypophysitis associated with central diabetes insipidus, delayed sexual development, and subsequent hypopituitarism.

Nishiuchi T, Imachi H, Murao K, Fujiwara M, Sato M, Nishiuchi Y, Kushida Y, Haba R, Shindo A, Tamiya T, Ishida T.

Am J Med Sci. 2010 Feb;339(2):195-9.

47

Successful therapy of Cushing's disease caused by an extrapituitary parasellar adenoma.

Murao K, Imachi H, Ishida T, Hosomi N, Masugata H.

Clin Endocrinol (Oxf). 2010 Jul;73(1):133-4.

46

Systemic candesartan reduces brain angiotensin II via downregulation of brain renin-angiotensin system.

Pelisch N, Hosomi N, Ueno M, Masugata H, Murao K, Hitomi H, Nakano D, Kobori H, Nishiyama A, Kohno M.

Hypertens Res. 2010 Feb;33(2):161-4.

45

Inhibition of cytochrome c release by 10-N-nonyl acridine orange, a cardiolipin-specific dye, during myocardial ischemia-reperfusion in the rat.

Zhang GX, Kimura S, Murao K, Obata K, Matsuyoshi H, Takaki M.

Am J Physiol Heart Circ Physiol. 2010 Feb;298(2):H433-9.

44

Exendin-4 regulates pancreatic ABCA1 transcription via CaMKK/CaMKIV pathway.

Li J, Murao K, Imachi H, Masugata H, Iwama H, Tada S, Zhang GX, Kobayashi R, Ishida T, Tokumitsu H.

J Cell Mol Med. 2010 May;14(5):1083-7.

43

Menin, a product of the MEN1 gene, binds to estrogen receptor to enhance its activity in breast cancer cells: possibility of a novel predictive factor for tamoxifen resistance.

Imachi H, Murao K, Dobashi H, Bhuyan MM, Cao X, Kontani K, Niki S, Murazawa C, Nakajima H, Kohno N, Yamashita H, Iwase H, Hayashi S, Ishida T, Yamauchi A.

Breast Cancer Res Treat. 2010 Jul;122(2):395-407.

42

Comparison of central blood pressure and cardio-ankle vascular index for association with cardiac function in treated hypertensive patients.

Masugata H, Senda S, Okuyama H, Murao K, Inukai M, Hosomi N, Yukiiri K, Nishiyama A, Kohno M, Goda F.

Hypertens Res. 2009 Dec;32(12):1136-42. doi: 10.1038/hr.2009.157.

41

Detection of increased arterial stiffness in a patient with early stage of large vessel vasculitis by measuring cardio-ankle vascular index.

Masugata H, Senda S, Himoto T, Murao K, Dobashi H, Kitano Y, Okuyama H, Inukai M, Hosomi N, Kohno M, Nishiyama Y, Kohno T, Goda F.

Tohoku J Exp Med. 2009 Oct;219(2):101-5.

40

Ectopic mediastinal parathyroid adenoma: a cause of acute pancreatitis.

Imachi H, Murao K, Kontani K, Yokomise H, Miyai Y, Yamamoto Y, Kushida Y, Haba R, Ishida T.

Endocrine. 2009 Oct;36(2):194-7.

39

Independent determinants of the Tei index in hypertensive patients with preserved left ventricular systolic function.

Masugata H, Senda S, Goda F, Yamagami A, Okuyama H, Kohno T, Hosomi N, Yukiiri K, Noma T, Murao K, Nishiyama A, Kohno M.

Int Heart J. 2009 May;50(3):331-40.

38

Exendin-4 regulates glucokinase expression by CaMKK/CaMKIV pathway in pancreatic beta-cell line.

Murao K, Li J, Imachi H, Muraoka T, Masugata H, Zhang GX, Kobayashi R, Ishida T, Tokumitsu H.

Diabetes Obes Metab. 2009 Oct;11(10):939-46.

37

Early detection of hypertension in a patient treated with sunitinib by measuring cardio-ankle vascular index.

Masugata H, Senda S, Himoto T, Okuyama H, Inukai M, Murao K, Hosomi N, Yukiiri K, Kohno M, Yamagami A, Kohno T, Goda F.

Tohoku J Exp Med. 2009 Jun;218(2):115-9.

36

The transcriptional factor PREB mediates MCP-1 transcription induced by cytokines in human vascular endothelial cells.

Murao K, Imachi H, Yu X, Muraoka T, Hosami N, Dobashi H, Ishida T.

Atherosclerosis. 2009 Nov;207(1):45-50.

35

Prolactin regulatory element-binding protein involved in cAMP-mediated suppression of adiponectin gene.

Li J, Murao K, Imachi H, Yu X, Muraoka T, Kim JB, Ishida T.

J Cell Mol Med. 2010 Jun;14(6A):1294-302.

34

Co-existence of glucagonoma with recurrent insulinoma in a patient with multiple endocrine neoplasia-type 1 (MEN-1).

Nishiuchi T, Imachi H, Murao K, Fujiwara M, Muraoka T, Kikuchi F, Nishiuchi Y, Kushida Y, Haba R, Ishida T.

Endocrine. 2009 Aug;36(1):20-4.

33

Decline of plasma brain natriuretic peptide during enzyme replacement therapy in a female patient with heterozygous Fabry's disease.

Masugata H, Senda S, Goda F, Yamagami A, Okuyama H, Kohno T, Hosomi N, Yukiiri K, Noma T, Murao K, Kohno M, Itoh S.

Tohoku J Exp Med. 2009 Mar;217(3):169-74.

32

PREB regulates transcription of pancreatic glucokinase in response to glucose and cAMP.

Muraoka T, Murao K, Imachi H, Yu X, Li J, Wong NC, Ishida T.

J Cell Mol Med. 2009 Aug;13(8B):2386-95.

31

Tissue Doppler echocardiography for predicting arterial stiffness assessed by cardio-ankle vascular index.

Masugata H, Senda S, Goda F, Yamagami A, Okuyama H, Kohno T, Hosomi N, Yukiiri K, Noma T, Kiyomoto H, Murao K, Nishiyama A, Kohno M.

Tohoku J Exp Med. 2009 Feb;217(2):139-46.

30

Human scavenger receptor class B type 1 is regulated by activators of peroxisome proliferators-activated receptor-gamma in hepatocytes.

Ahmed RA, Murao K, Imachi H, Yu X, Li J, Wong NC, Ishida T.

Endocrine. 2009 Apr;35(2):233-42.

29

c-Jun N-terminal kinases inhibitor suppresses the TNF-alpha induced MCP-1 expression in human umbilical vein endothelial cells.

Ahmed RA, Murao K, Imachi H, Yoshida K, Dobashi H, Hosomi N, Ishida T.
Endocrine. 2009 Apr;35(2):184-8.

28

Plasma brain natriuretic peptide as a surrogate marker for cardioembolic stroke.

Yukiiri K, Hosomi N, Naya T, Takahashi T, Ohkita H, Mukai M, Masugata H, Murao K, Ueno M, Nakamura T, Dobashi H, Miki T, Kuroda Y, Kohno M.
BMC Neurol. 2008 Dec 11;8:45.

27

Predictors of intracerebral hemorrhage severity and its outcome in Japanese stroke patients.

Hosomi N, Naya T, Ohkita H, Mukai M, Nakamura T, Ueno M, Dobashi H, Murao K, Masugata H, Miki T, Kohno M, Kobayashi S, Koziol JA; Japan Standard Stroke Registry Study Group.
Cerebrovasc Dis. 2009;27(1):67-74.

26

A case of Dunnigan-type familial partial lipodystrophy (FPLD) due to lamin A/C (LMNA) mutations complicated by end-stage renal disease.

Imachi H, Murao K, Ohtsuka S, Fujiwara M, Muraoka T, Hosokawa H, Ishida T.
Endocrine. 2009 Feb;35(1):18-21.

25

A case of non-Hodgkin's lymphoma primary arising in both adrenal glands associated with adrenal failure.

Nishiuchi T, Imachi H, Fujiwara M, Murao K, Onishi H, Kiguchi T, Takimoto H, Kushida Y, Haba R, Ishida T.
Endocrine. 2009 Feb;35(1):34-7.

24

Improvement in renal dysfunction and symptoms after laparoscopic adrenalectomy in a patient with pheochromocytoma complicated by renal dysfunction.

Fujiwara M, Imachi H, Murao K, Muraoka T, Ohyama T, Miyai Y, Kushida Y, Haba R, Kakehi Y, Ishida T.
Endocrine. 2009 Feb;35(1):57-62.

23

Role of neuronal NO synthase in regulating vascular superoxide levels and mitogen-activated protein kinase phosphorylation.

Zhang GX, Kimura S, Murao K, Shimizu J, Matsuyoshi H, Takaki M.
Cardiovasc Res. 2009 Feb 1;81(2):389-99.

22

The prolactin regulatory element-binding regulates of the 11beta-hydroxylase gene.

Imachi H, Murao K, Cao WM, Muraoka T, Nishiuchi T, Dobashi H, Hosomi N, Iwama H, Ishida T.
Biochem Biophys Res Commun. 2008 Nov 21;376(3):531-5.

21

The transcriptional factor prolactin regulatory element-binding protein mediates the gene transcription of adrenal scavenger receptor class B type I via 3',5'-cyclic adenosine 5'-monophosphate.

Murao K, Imachi H, Yu X, Cao WM, Muraoka T, Dobashi H, Hosomi N, Haba R, Iwama H, Ishida T.
Endocrinology. 2008 Dec;149(12):6103-12.

20

Isolated follicle-stimulating hormone (FSH) deficiency without mutation of the FSHbeta gene and successful treatment with human menopausal gonadotropin.

Murao K, Imachi H, Muraoka T, Fujiwara M, Kushida Y, Haba R, Ishida T.
Fertil Steril. 2008 Nov;90(5):2012.e17-9.

19

ReAlignerV: web-based genomic alignment tool with high specificity and robustness estimated by species-specific insertion sequences.

Iwama H, Hori Y, Matsumoto K, Murao K, Ishida T.
BMC Bioinformatics. 2008 Feb 22;9:112.

18

Interferon alpha decreases expression of human scavenger receptor class BI, a possible HCV receptor in hepatocytes.

Murao K, Imachi H, Yu X, Cao WM, Nishiuchi T, Chen K, Li J, Ahmed RA, Wong NC, Ishida T.
Gut. 2008 May;57(5):664-71.

17

Hyperglycemia suppresses hepatic scavenger receptor class B type I expression.

Murao K, Yu X, Imachi H, Cao WM, Chen K, Matsumoto K, Nishiuchi T, Wong NC, Ishida T.
Am J Physiol Endocrinol Metab. 2008 Jan;294(1):E78-87.

16

Regulation of scavenger receptor class BI gene expression by angiotensin II in vascular endothelial cells.

Yu X, Murao K, Imachi H, Cao WM, Li J, Matsumoto K, Nishiuchi T, Ahmed RA, Wong NC, Kosaka H, Unterman TG, Ishida T.
Hypertension. 2007 Jun;49(6):1378-84.

15

Pancreatic glucokinase is activated by insulin-like growth factor-I.

Yoshida K, Murao K, Imachi H, Cao WM, Yu X, Li J, Ahmed RA, Kitanaka N, Wong NC, Unterman TG, Magnuson MA, Ishida T.
Endocrinology. 2007 Jun;148(6):2904-13.

14

Prolactin regulatory element binding protein as a potential transcriptional factor for the insulin gene in response to glucose stimulation.

Ohtsuka S, Murao K, Imachi H, Cao WM, Yu X, Li J, Iwama H, Wong NC, Bancroft C, Ishida T.
Diabetologia. 2006 Jul;49(7):1599-607.

13

Lipid-altering drugs: decreasing cardiovascular disease at the expense of increasing cancer?

Goldstein MR, Murao K, Imachi H, Ishida T, Wong NC.
Cancer Res. 2004 Sep 15;64(18):6831

12

Thyrotropin-releasing hormone-stimulated thyrotropin expression involves islet-brain-1/c-Jun N-terminal kinase interacting protein-1.

Abe H, Murao K, Imachi H, Cao WM, Yu X, Yoshida K, Wong NC, Shupnik MA, Haefliger JA, Waeber G, Ishida T.
Endocrinology. 2004 Dec;145(12):5623-8.

11

Insulin-like growth factor- α regulation of hepatic scavenger receptor class B1.

Cao WM, Murao K, Imachi H, Yu X, Dobashi H, Yoshida K, Muraoka T, Kotsuna N, Nagao S, Wong NC, Ishida T.

Endocrinology. 2004 Dec;145(12):5540-7.

10

Role of calcium-calmodulin-dependent protein kinase cascade in thyrotropin (TSH)-releasing hormone induction of TSH and prolactin gene expression.

Murao K, Imachi H, Cao WM, Yu X, Tokumitsu H, Inuzuka H, Wong NC, Shupnik MA, Kobayashi R, Ishida T.

Endocrinology. 2004 Nov;145(11):4846-52.

9

The role of calcium/calmodulin-dependent protein kinase cascade in glucose upregulation of insulin gene expression.

Yu X, Murao K, Sayo Y, Imachi H, Cao WM, Ohtsuka S, Niimi M, Tokumitsu H, Inuzuka H, Wong NC, Kobayashi R, Ishida T.

Diabetes. 2004 Jun;53(6):1475-81.

8

A mutant high-density lipoprotein receptor inhibits proliferation of human breast cancer cells.

Cao WM, Murao K, Imachi H, Yu X, Abe H, Yamauchi A, Niimi M, Miyauchi A, Wong NC, Ishida T.

Cancer Res. 2004 Feb 15;64(4):1515-21.

7

Expression of human scavenger receptor B1 on and in human platelets.

Imachi H, Murao K, Cao W, Tada S, Taminato T, Wong NC, Takahara J, Ishida T.

Arterioscler Thromb Vasc Biol. 2003 May 1;23(5):898-904.

6

The multiple endocrine neoplasia type 1 gene product, *menin*, inhibits insulin production in rat insulinoma cells.

Sayo Y, Murao K, Imachi H, Cao WM, Sato M, Dobashi H, Wong NC, Ishida T.

Endocrinology. 2002 Jun;143(6):2437-40.

5

Phosphatidylinositol 3-OH kinase-Akt/protein kinase B pathway mediates Gas6 induction of scavenger receptor a in immortalized human vascular smooth muscle cell line.

Ming Cao W, Murao K, Imachi H, Sato M, Nakano T, Kodama T, Sasaguri Y, Wong NC, Takahara J, Ishida T.

Arterioscler Thromb Vasc Biol. 2001 Oct;21(10):1592-7.

4

Human scavenger receptor B1 is involved in recognition of apoptotic thymocytes by thymic nurse cells.

Imachi H, Murao K, Hiramane C, Sayo Y, Sato M, Hosokawa H, Ishida T, Kodama T, Quehenberger O, Steinberg D, Takahara J.

Lab Invest. 2000 Feb;80(2):263-70.

3

Effects of glucose and insulin on rat apolipoprotein A-I gene expression.

Murao K, Wada Y, Nakamura T, Taylor AH, Mooradian AD, Wong NC.

J Biol Chem. 1998 Jul 24;273(30):18959-65.

2

Regulation of expression of the human monocyte chemotactic protein-1 receptor (hCCR2) by cytokines.
Tangirala RK, Murao K, Quehenberger O.
J Biol Chem. 1997 Mar 21;272(12):8050-6.

1

Characterization of CLA-1, a human homologue of rodent scavenger receptor BI, as a receptor for high density lipoprotein and apoptotic thymocytes.
Murao K, Terpstra V, Green SR, Kondratenko N, Steinberg D, Quehenberger O.
J Biol Chem. 1997 Jul 11;272(28):17551-7.